Contents

Preface ix

SECTION I. MBE TECHNOLOGY

Advances in molecular beam epitaxy (MBE)
A.Y. Cho 1

4×10^{15} cm^2 V^{-1} s^{-1} peak electron mobilities in GaAs grown by solid source MBE with As_2
C.R. Stanley, M.C. Holland, A.H. Kean, J.M. Chamberlain, R.T. Grimes and M.B. Stanaway 14

Variation of background impurities in $Al_xGa_{1-x}As$ ($0.3 \leq x \leq 0.4$) with growth temperature: implications for device leakage current and surface/heterointerface roughness
N. Chand, T.D. Harris, S.N.G. Chu, E.E. Becker, A.M. Sergent, M. Schnoes and D.V. Lang 20

Properties and applications of $Al_xGa_{1-x}As$ ($0 \leq x \leq 1$) grown at low temperatures
T.Y. Chu, A. Dodabalapur, A. Srinivasan, D.P. Neikirk and B.G. Streetman 26

Low-temperature growth of GaAs and AlGaAs by MBE and effects of post-growth thermal annealing
J.N. Miller and T.S. Low 30

GaAs buffer layers grown at low substrate temperatures using As_2 and the formation of arsenic precipitates
M.R. Melloch, K. Mahalingam, N. Otsuka, J.M. Woodall and A.C. Warren 39

Electrical and optical characterization of gas source and solid source MBE low temperature buffers
R.A. Puechner, D.A. Johnson, H.T. Shiralagi, D.S. Gerber, R. Droopad and G.N. Maracas 43

Graded compositional heterostructures in the GaAs/$Al_xGa_{1-x}As$ system
S. Giugni, T.L. Tansley and G.J. Griffiths 50

Precise computer control of the MBE process – application to graded InGaAlAs/InP alloys
J.C. Vlcek and C.G. Fonstad 56

Composition control of GaAsP grown by molecular beam epitaxy
T. Nomura, H. Ogasawara, M. Miyao and M. Hagino 61

Dynamics and roughness spectrum of the GaAs(001) surface during the MBE process
L. Däweritz, J. Griesche, R. Hey and J. Herzog 65

Growth uniformity studies in molecular beam epitaxy
Z.R. Wasilewski, G.C. Aers, A.J. SpringThorpe and C.J. Miner 70

SECTION II. IN SITU CHARACTERIZATION

MBE monolayer growth control by in-situ electron microscopy
N. Inoue 75

Surface diffusion length observed by in situ scanning microprobe reflection high-energy electron diffraction
M. Hata, A. Watanabe and T. Isu 83

A reflection high-energy electron diffraction study of growth processes at step edges during molecular beam epitaxy of GaAs and AlAs
H. Tsuda and T. Mizutani 88

Modulated molecular beam study of group III desorption during growth by MBE
J. Zhang, E.M. Gibson, C.T. Foxon and B.A. Joyce 93

Correlation between the dampening of RHEED oscillations and the photoluminescence of quantum wells in the presence of AsO
T.R. Block and B.G. Streetman 98

Application of frequency-domain analysis to RHEED oscillation data: time dependence of AlGaAs growth rates
G.W. Turner and S.J. Eglash 105

Initial growth stage of InAs/GaAs studied by RHEED–TRAXS method
J. Shigetomi, K. Fuwa, S. Shimizu, H. Yamakawa and S. Ino 110
Reflectance-difference probing of surface kinetics of (001) GaAs during vacuum chemical epitaxy
G. Paulsson, K. Deppert, S. Jeppesen, J. Jönsson, L. Samuelson and P. Schmidt 115
In-situ monitoring of antiphase domain evolution during atomic layer MBE (ALMBE) and MBE growth of GaAs/Si(001) by reflectance difference
Y. González, L. González and F. Briones 120
Oscillatory As_4 surface reaction rates during molecular beam epitaxy of AlAs, GaAs and InAs
J.Y. Tsao, T.M. Brennan and B.E. Hammons 125
Accurate measurement of MBE substrate temperature
W.S. Lee, G.W. Yoffe, D.G. Schlom and J.S. Harris, Jr. 131
A novel in-situ molecular beam epitaxy monitoring system using low energy ion scattering
M. Kubo and T. Narusawa 136

SECTION III. GROWTH KINETICS

Surface segregation in III–V alloys
J.M. Moisson, F. Houzay, F. Barthe, J.M. Gérard, B. Jusserand, J. Massies and F.S. Turco-Sandroff 141
Thermodynamic analysis of segregation effects in MBE of A^{III}–B^{V} compounds
S.V. Ivanov, P.S. Kop'ev and N.N. Ledentsov 151
Nonlinear diffusion equation for epitaxial growth and recovery on vicinal surfaces
A.K. Myers-Beaghton and D.D. Vvedensky 162
Surface diffusion of Al and Ga atoms on GaAs (001) and (111)B vicinal surfaces in molecular beam epitaxy
M. Tanaka, T. Suzuki and T. Nishinaga 168
Surface diffusion and atom incorporation kinetics in MBE of InGaAs and AlGaAs
T. Suzuki and T. Nishinaga 173
Monte Carlo simulation of MBE growth of the 2×4 reconstructed GaAs(001) surface
J.M. McCoy and P.A. Maksym 178
Control of initial surface configuration for GaAs-on-Si MBE using a Si buffer layer?
G.E. Grook, L. Tapfer, L. Däweritz, R. Cingolani and K. Ploog 184
Gallium desorption from (Al,Ga)As grown by molecular beam epitaxy at high temperatures
A.H. Kean, C.R. Stanley, M.C. Holland, J.L. Martin and J.N. Chapman 189

SECTION IV. MIGRATION ENHANCED EPITAXY

Atomic layer molecular beam epitaxy (ALMBE): growth kinetics and applications
F. Briones and A. Ruiz 194
Optical investigation of GaAs growth process in molecular beam epitaxy and migration-enhanced epitaxy
Y. Horikoshi, M. Kawashima and N. Kobayashi 200
Modulated molecular beam epitaxy: a successful route toward high quality highly strained heterostructures
J.M. Gérard, J.Y. Marzin and B. Jusserand 205
Real-time μ-RHEED observations of GaAs surfaces during growth with alternating source supply
T. Isu, M. Hata and A. Watanabe 210
Realization of mirror surface in (111)-and (110)-oriented GaAs by migration-enhanced epitaxy
Y. Takano, M. Lopez, T. Torihata, T. Ikei, Y. Kanaya, K. Pak and H. Yonezu 216
Fabrication of AlAs/Al/AlAs heterostructures by molecular beam epitaxy and migration enhanced epitaxy
T. Yao, H. Nakahara, H. Matuhata and Y. Okada 221
Strained layer epitaxy of InGaAs by MBE and migration enhanced epitaxy – comparison of growth modes and surface quality
Y.C. Chen, P.K. Bhattacharya and J. Singh 228
Improved device performance by migration-enhanced epitaxy
P. Ho, S.C. Wang, T. Yu, J.M. Ballingall, P.A. Martin, K.H.G. Duh, S.M.J. Liu, G.A. Hutchins and E.L. Hall 233

SECTION V. DOPING

Delta-doping of GaAs and $Al_{0.33}Ga_{0.67}As$ with Sn, Si and Be: a comparative study
J.J. Harris, J.B. Clegg, R.B. Beall, J. Castagné, K. Woodbridge and C. Roberts 239

Comparison of delta doped GaAs grown by MBE and GSMBE using different arsenic species
M.T. Asom, G. Livescu, M. Geva, V. Swaminathan, L.C. Luther, R.E. Leibenguth, V.D. Mattera, E.F. Schubert, J.M. Kuo and R. Kopf 246
Reduced silicon donor incorporation in MBE grown GaAs layers using cracker-generated dimer arsenic
B.J. Wu, Y.J. Mii, M. Chen, K.L. Wang and J.J. Murray 252
Hydrogen passivation of delta doped GaAs
M.T. Asom, V. Swaminathan, G. Livescu, M. Geva, L.C. Luther, R.E. Leibenguth, V.D. Mattera and T. Hayes 260
A comparison of atomic carbon versus beryllium acceptor doping in GaAs grown by molecular beam epitaxy
J. Nagle, R.J. Malik and D. Gershoni 264
Carbon doping of MBE GaAs and $Ga_{0.7}Al_{0.3}As$ films using a graphite filament
W.E. Hoke, P.J. Lemonias, P.S. Lyman, H.T. Hendriks, D. Weir and P. Colombo 269
Characterization of the GaAs : C and AlGaAs : C doping superlattice grown by chemical beam epitaxy
T.H. Chiu, J.E. Cunningham, J.A. Ditzenberger, W.Y. Jan and S.N.G. Chu 274
Electrical properties and dopant incorporation mechanisms of Si doped GaAs and (AlGa)As grown on (111)A GaAs surfaces by MBE
Y. Kadoya, A. Sato, H. Kano and H. Sakaki 280
Si doping and MBE growth of GaAs on tilted (111)A substrates
M. Shigeta, Y. Okano, H. Seto, H. Katahama, S. Nishine, K. Kobayashi and I. Fujimoto 284

SECTION VI. MODULATION DOPED STRUCTURES

Effect of neutron irradiation on transport in heterostructures
Junming Zhou, Weimin Jin, Jianmin Mao and Yi Huang 288
Modulation doped inverted and normal $GaAs/Al_xGa_{1-x}As$ heterostructures: influence of Si-segregation on the two-dimensional electron gas
K. Köhler, P. Ganser, M. Maier and K.H. Bachem 295
The growth and characterisation of back-gated high mobility two-dimensional electron gas structures
D.A. Ritchie, J.E.F. Frost, D.C. Peacock, E.H. Linfield, A. Hamilton and G.A.C. Jones 300
The growth of shallow high mobility two-dimensional electron gas structures
J.E.F. Frost, D.A. Ritchie and G.A.C. Jones 305
Anisotropy in electronic transport of modulation doped structures having strained InGaAs wells
C. Webb, J.N. Eckstein and Y.M. Desai 309
High-quality $In_xGa_{1-x}As/InAlAs$ modulation-doped heterostructures grown lattice-mismatched on GaAs substrates
K. Inoue, J.C. Harmand and T. Matsuno 313
The growth and physics of high mobility two-dimensional hole gases
A.G. Davies, J.E.F. Frost, P.A. Ritchie, D.C. Peacock, R. Newbury, E.H. Linfield, M. Pepper and G.A.C. Jones 318

SECTION VII. QUANTUM WELLS, WIRES AND SUPERLATTICES

Serpentine superlattice: concept and first results
M.S. Miller, C.E. Pryor, H. Weman, L.A. Samoska, H. Kroemer and P.M. Petroff 323
Growth kinetics and electronic characteristics of quantum wires
A.K. Myers-Beaghton, J.P.G. Taylor, D.D. Vvedensky, K.J. Hugill and A. MacKinnon 328
Quantum wire structures by MBE overgrowth on a cleaved edge
L. Pfeiffer, H.L. Störmer, K. West and K.W. Baldwin 333
Indium incorporation in GaInAs/GaAs quantum wells grown on GaAs
K. Woodbridge, K.J. Moore, N.L. Andrew and P.F. Fewster 339
Narrow luminescence linewidth in GaAs single quantum wells by insertion of thin AlAs smoothing layers
K. Ploog, A. Fischer, L. Tapfer and B.F. Feuerbacher 344
Characterization of lateral correlation length of interface roughness in MBE grown GaAs/AlAs quantum wells by mobility measurement
T. Noda, M. Tanaka and H. Sakaki 348
Re-examination of the formation mechanism of CuPt-type natural superlattices in alloy semiconductors
T. Suzuki and A. Gomyo 353
MBE growth of tilted superlattices: advances and novel structures
P.M. Petroff, M.S. Miller, Y.T. Lu, S.A. Chalmers, H. Metiu, H. Kroemer and A.C. Gossard 360

Fabrication of quasi-three-dimensional electron systems and superlattices in wide parabolic wells
M. Santos, J. Jo, M. Shayegan and A.-M. Lanzillotto 366
Formation of quantum well wire-like structures by MBE growth of AlGaAs/GaAs superlattices on GaAs (110) surfaces
S. Hasegawa, M. Sato, K. Maehashi, H. Asahi and H. Nakashima 371

SECTION VIII. STRAINED LAYER STRUCTURES

Stress accommodation in large-mismatch systems
B.W. Dodson 376
Growth processes and relaxation mechanisms in the molecular beam epitaxy of InAs/GaAs heterostructures
O. Brandt, L. Tapfer, K. Ploog, M. Hohenstein and F. Phillipp 383
Optical studies of InAs/GaAs on GaAs short-period strained-layer superlattices grown by MBE and MEE
T.C. Hasenberg, D.S. McCallum, X.R. Huang, A.L. Smirl, M.D. Dawson and T.F. Boggess 388
Strain induced change in band offsets at pseudomorphically grown InAs/GaAs heterointerfaces characterized by X-ray photoelectron spectroscopy
Y. Hashimoto, K. Hirakawa, K. Harada and T. Ikoma 393
Structural stability of ultrathin InAs/GaAs quantum wells grown by migration enhanced epitaxy
M. Yano, K. Yoh, T. Iwawaki, Y. Iwai and M. Inoue 397
Fabrication and characterization of MBE grown InAs/GaAs strained-layer superlattices on variously oriented substrates
K. Kudo, J.S. Lee, K. Tanaka, Y. Makita and A. Yamada 402
Indium desorption during MBE growth of strained InGaAs layers
J.-P. Reithmaier, H. Riechert, H. Schlötterer and G. Weimann 407
A photoluminescence study of indium desorption from strained $Ga_{1-x}In_xAs/GaAs$
M.T. Emeny, L.K. Howard, K.P. Homewood, J.D. Lambkin and C.R. Whitehouse 413
Molecular beam epitaxial growth and properties of highly strained $In_xGa_{1-x}As/GaAs$ multiple quantum wells
S. Niki, W.S.C. Chang, H.H. Wieder and T.E. Van Eck 419
Realization of sharp excitonic features in highly strained $GaAs/In_xGa_{1-x}As$ multiple quantum wells grown on GaAs(100) substrates
Li Chen, K.C. Rajkumar, A. Madhukar, Wei Chen, S. Guha and K. Kaviani 424
Observation of dark line defects in InGaAs/GaAs strained layer superlattices by photoluminescence topography
K. Iizuka, T. Yoshida, T. Suzuki and H. Hirose 429
The nature and control of morphology and the formation of defects in InGaAs epilayers and InAs/GaAs superlattices grown via MBE on GaAs(100)
S. Guha, K.C. Rajkumar and A. Madhukar 434
Electrooptic effects of piezo-electrically strained AlGaAs/GaAs(111) quantum wells
S.M. Shank and G.W. Wicks 440

SECTION IX. InP-BASED STRUCTURES

Growth and characterization of low temperature AlInAs
R.A. Metzger, A.S. Brown, W.E. Stanchina, M. Lui, R.G. Wilson, T.V. Kargodorian, L.G. McCray and J.A. Henige 445
Influence of nonuniform charge distribution in $In_{0.53}Ga_{0.47}As$ on the interpretation of dopant incorporation
S.P. Svensson, W.A. Beck, D.C. Martel, P.N. Uppal and D.C. Cooke 450
Characterization of InGaAs and InAlAs layers on InP by four-crystal high resolution X-ray diffraction and wedge transmission electron microscopy
R. Houdré, F. Gueissaz, M. Gailhanou, J.-D. Ganière, A. Rudra and H. Ilegems 456
MBE overgrowth of implanted regions in InP:Fe substrates
H. Künzel, R. Gibis, W. Schlaak, L.M. Su and N. Grote 461
Effects of substrate orientation, pseudomorphic growth and superlattice on alloy scattering in modulation doped GaInAs
A. Chin, T.Y. Chang, A. Ourmazd, E.M. Monberg, A.M. Chang and C. Kurdak 466
High electron density and mobility in single and double planar doped InGaAs/InAlAs heterojunctions on InP
F. Gueissaz, R. Houdré and M. Ilegems 470
High quality GaInAs/AlGaInAs/AlInAs heterostructures on Si ion implanted semi-insulating InP substrates for novel high performance optical modulators
T.Y. Chang, N.J. Sauer, J.E. Zucker, K.L. Jones, B. Tell, K. Brown-Goebeler, M. Wegener and D.S. Chemla 475
Orientation dependence of mismatched $In_xAl_{1-x}As/In_{0.53}Ga_{0.47}As$ HFETs
S.R. Bahl, W.J. Azzam and J.A. del Alamo 479

MBE growth of graded index AlGaInAs MQW lasers on InP
M. Allovon, M. Quillec, M. Blez and C. Kazmierski 484
Molecular beam epitaxial growth and structural design of $In_{0.52}Al_{0.48}As/In_{0.53}Ga_{0.47}As/InP$ HEMTs
Y.C. Pao and J.S. Harris, Jr. 489

SECTION X. GAS-SOURCE MBE: HYDRIDES

High quality InP and $In_{1-x}Ga_xAs_yP_{1-y}$ grown by gas source MBE
M. Lambert, L. Goldstein, A. Perales, F. Gaborit, C. Starck and J.-L. Lievin 495
Gas source MEE (migration enhanced epitaxy) growth of InP
N. Takeyasu, H. Asahi, S.J. Yu, K. Asami, T. Kaneko and S. Gonda 502
GSMBE growth of GaAs at low AsH_3 cracking temperatures
M.J. Hafich, H.Y. Lee, P. Silvestre and G.Y. Robinson 507
Residual impurities originating from AsH_3 in GS-MBE grown GaAs
S. Nagao, Y. Inoue, E. Kawanishi and H. Gotoh 511
Gas source molecular beam epitaxy growth of heterojunction bipolar transistors containing 1 monolayer δ-Be
J.E. Cunningham, T.Y. Kuo, A. Ourmazd, K. Goossen, W. Jan, F. Storz, F. Ren and C.G. Fonstad 515
Abruptness of GaAs/AlInP hetero-interfaces grown by GS-MBE
S. Nagao, M. Takashima, Y. Inoue, M. Katoh and H. Gotoh 521
Improved InGaP/GaAs heterointerfaces during gas-source MBE growth
H.Y. Lee, M.J. Hafich, G.Y. Robinson, K. Mahalingam and N. Otsuka 525

SECTION XI. GAS-SOURCE MBE: MOMBE AND CBE

A review of CBE, MOMBE and GSMBE
W.T. Tsang 529
A comparison of MBE and MOMBE/CBE growth mechanisms using modulated beam mass spectrometry and RHEED
C.T. Foxon, E.M. Gibson, J. Zhang, B.A. Joyce and D.E. Lacklison 539
Background pressure dependence of GaAs and AlGaAs growth rates in gas-source molecular beam epitaxy
J. Saito, T. Maeda, K. Ono and K. Kondo 544
The roles of group-V species in metalorganic molecular-beam epitaxy and chemical-beam epitaxy of III–V compounds
B.W. Liang and C.W. Tu 550
Metalorganic molecular beam epitaxy of GaAs using hydrogen radical beam
A. Watanabe, M. Hata and T. Isu 554
p^+/N GaAs–AlGaAs heterostructures grown by gas source MBE using gaseous p- and n-type dopant sources
A. Sandhu, T. Fujii, H. Ando, T. Takahashi, H. Ishikawa and N. Yokoyama 559
Use of CCl_4 and $CHCl_3$ in gas source molecular beam epitaxy for carbon doping of GaAs and $Ga_xIn_{1-x}P$
T.J. de Lyon, N.I. Buchan, P.D. Kirchner, J.M. Woodall, D.T. McInturff, G.J. Scilla and F. Cardone 564
In-situ selective-area epitaxy of GaAs using a GaAs oxide layer as a mask
Y. Hiratani, Y. Ohki, Y. Sugimoto and K. Akita 570
The roles of aluminum and hydrogen in impurity contamination of AlGaAs grown by MOMBE
C.R. Abernathy, S.J. Pearton, D.A. Bohling and G.T. Muhr 574
Chemical beam epitaxy growth of $GaAs/Ga_{0.5}In_{0.5}P$ heterostructures: growth kinetics, electrical and optical properties
J.C. Garcia, P. Maurel, P. Bove, J.P. Hirtz and A. Barski 578
MOMBE growth and characterization of heavily carbon-doped InGaAs
T. Yamada, S. Nozaki, R. Miyake, T. Fukamachi, J. Shirakashi, M. Konagai and K. Takahashi 584
Luminescence and transport properties of high quality InP grown by CBE between 450 and 550°C
A. Rudra, J.F. Carlin, M. Proctor and M. Ilegems 589
The optimization of $In_xGa_{1-x}As$ and InP growth conditions by CBE
M.E. Sherwin, G.O. Munns, M.E. Elta, E.G. Woelk, S.B. Crary, F.L. Terry and G.I. Haddad 594
Growth of GaInAs and GaInAsP lattice matched to InP by metalorganic MBE
H. Heinecke, B. Baur, R. Höger, A. Miklis and R. Treichler 599
The design of an ECR plasma system and its application to InP grown by CBE
M.E. Sherwin, G.O. Munns, E.G. Woelk, T.J. Drummond, M.E. Elta, F.L. Terry and G.I. Haddad 605

SECTION XII. ANTIMONIDE STRUCTURES

Surface reaction of III–V compound semiconductors irradiated by As and Sb molecular beams
M. Yano, H. Yokose, Y. Iwai and M. Inoue 609
Indium antimonide doped with lead telluride grown by molecular beam epitaxy
D.L. Partin, J. Heremans and C.M. Thrush 614
Tellurium doping study of GaSb grown by molecular beam epitaxy using SnTe
J.F. Chen and A.Y. Cho 619
Transport properties of heterostructures based on GaSb, InAs and InSb on GaAs substrates
P.N. Uppal, D.M. Gill, S.P. Svensson and D.C. Cooke 623
Growth and properties of GaAsSb/InGaAs superlattices on InP
J.F. Klem, S.R. Kurtz and A. Datye 628
Growth and properties of $InAs_xSb_{1-x}$, $Al_yGa_{1-y}Sb$, and $InAs_xSb_{1-x}/Al_yGa_{1-y}Sb$ heterostructures
J.H. Kim, D. Yang, Y.-C. Chen and P. Bhattacharya 633
MOMBE growth of GaSb and InAsSb using triethylstibine and triethylarsine
T. Kaneko, H. Asahi, Y. Itani, Y. Okuno and S. Gonda 638
Electrical characteristics dependence on aluminum mole fraction in $(Al_{0.5}Ga_{0.5})Sb/InAs/(Al_xGa_{1-x})Sb$ heterostructure
K. Yoh, T. Moriuchi, M. Yano and M. Inoue 643
The growth of (Al, Ga)Sb tilted superlattices and their heteroepitaxy with InAs to form corrugated-barrier quantum wells
S.A. Chalmers, H. Kroemer and A.C. Gossard 647
Resonant tunneling in polytype InAs/AlSb/GaSb heterostructures
K.F. Longenbach, L.F. Luo, S. Xin and W.I. Wang 651
Studies of the tunneling currents in the InAs/AlSb/GaSb single-barrier interband tunneling diodes grown on GaAs substrates
J.F. Chen, L. Yang, M.C. Wu, S.N.G. Chu and A.Y. Cho 659
Interband tunneling in InAs/GaSb/AlSb heterostructures
D.A. Collins, D.Z.-Y. Ting, E.T. Yu, D.H. Chow, J.R. Söderström, Y. Rajakarunanayake and T.C. McGill 664
MBE growth of GaInAsSb/AlGaAsSb double heterostructures for infrared diode lasers
S.J. Eglash, H.K. Choi and G.W. Turner 669
MBE growth and characterization of $In_xGa_{1-x}Sb/InAs$ strained layer superlattices
R. Fashe, J.T. Zborowski, T.D. Golding, H.D. Shih, P.C. Chow, K. Matsuichi, B.C. Covington, A. Chi, J. Zheng and H.F. Schaake 677
Growth of $InAs/Ga_{1-x}In_xSb$ infrared superlattices
D.H. Chow, R.H. Miles, C.W. Nieh and T.C. McGill 683
New MBE growth method for InSb quantum well boxes
N. Koguchi, S. Takahashi and T. Chikyow 688
Strong nonlinear optical enhancement in MBE-grown $Bi_{1-x}Sb_x$
E.R. Youngdale, J.R. Meyer, C.A. Hoffman, F.J. Bartoli, D.L. Partin, C.M. Thrush and J.P. Heremans 693

SECTION XIII. II–VI MBE: SMALL BANDGAPS

New development on the control of homoepitaxial and heteroepitaxial growth of CdTe and HgCdTe by MBE
J.P. Faurie, R. Sporken, S. Sivananthan and M.D. Lange 698
Application of the RHEED oscillation technique to the growth of II–VI compounds: CdTe, HgTe and their related alloys
L. Ulmer, N. Magnea, H. Mariette and P. Gentile 711
A novel technique for the MBE growth of twin-free HgCdTe
R.W. Yanka, K.A. Harris, L.M. Mohnkern and T.H. Myers 715
Very low temperature growth and doping of Hg-based epilayers and superlattices
Y. Lansari, Z. Yang, S. Hwang, F.E. Reed, A.T. Sowers, J.W. Cook, Jr. and J.F. Schetzina 720
Chemical beam epitaxy of CdTe, HgTe, and HgCdTe
R.G. Benz II, B.K. Wagner, D. Rajavel and C.J. Summers 725
Heteroepitaxy of CdTe(100) on Si(100) using BaF_2–CaF_2(100) buffer layers
A.N. Tiwari, W. Floeder, S. Blunier, H. Zogg and M.J. Proctor 730
Atomic layer epitaxy of $(CdTe)_m(ZnTe)_n$–ZnTe multiquantum wells on (001)GaAs substrate
Jie Li, Li He, Wei Shan, Xingyu Cheng and Shixin Yuan 736

SECTION XIV. II–VI MBE: LARGE BANDGAPS

Surface stoichiometry effects on ZnSe/GaAs heteroepitaxy
M.C. Tamargo, R.E. Nahory, B.J. Skromme, S.M. Shibli, A.L. Weaver, R.J. Martin and H.H. Farrell 741
ZnSe/GaAs heterovalent interfaces: interface microstructure versus electrical properties
J. Qiu, D.R. Menke, M. Kobayashi, R.L. Gunshor, Q.-D. Qian, D. Li and N. Otsuka 747
High-quality ZnSe/GaAs superlattices: MEE growth, and structural and optical characterization
S. Ramesh, N. Kobayashi and Y. Horikoshi 752
Growth and characterization of ZnSe on $(NH_4)_2S_x$-treated GaAs substrates: effect of GaAs surface microstructure on the growth rate of ZnSe
Y. Wu, Y. Kawakami, Sz. Fujita and Sg. Fujita 757
Molecular beam epitaxy of Zn(Se,Te) alloys and superlattices
F.S. Turco-Sandroff, R.E. Nahory, M.J.S.P. Brasil, R.J. Martin, R. Beserman, L.A. Farrow, J.M. Worlock and A.L. Weaver 762
Quantum wells with zincblende MnTe barriers
J. Han, S.M. Durbin, R.L. Gunshor, M. Kobayashi, D.R. Menke, N. Pelekanos, M. Hagerott, A.V. Nurmikko, Y. Nakamura and N. Otsuka 767
Substitutional doping of ZnSe films
J. Ren, K.A. Bowers, S. Hwang, J.W. Cook, Jr. and J.F. Schetzina 772
n-Type and p-type conductivity control of ZnSe grown by metalorganic molecular beam epitaxy using methyliodide and ammonia
M. Migita, A. Taike and H. Yamamoto 776
Electric field assisted doping of semiconductors during epitaxial growth
Y. Rajakarunanayake, J.O. McCaldin and T.C. McGill 782
Photo-assisted MBE growth of ZnSe on GaAs substrates
N. Matsumura, T. Fukada, K. Senga, Y. Fukushima and J. Saraie 787
Ultraviolet irradiation effect on the MBE growth of ZnSe/GaAs observed by RHEED
M. Ohishi, H. Saito, H. Torihara, Y. Fujisaki and K. Ohmori 792
Doping of nitrogen acceptors into ZnSe using radical beam during MBE growth
H. Ohkawa, T. Karasawa and T. Mitsuyu 797
$(ZnSe)_m$–$(ZnTe)_n$ short-period strained layer superlattices prepared by atomic layer epitaxy
Y. Takemura, H. Nakanishi, M. Konagai, H. Takahashi, Y. Nakamura and N. Otsuka 802
Determination of refractive index and study of absorption in wide gap II–VI semiconductor superlattices
Aidong Shen, Jie Cui, Yunliang Chen, Hailong Wang and Aizhen Li 807
The study of phonons and lattice strains in ZnSe–ZnTe and ZnS–ZnSe strained-layer superlattices by Raman and far-infrared reflectivity spectra
Jie Cui, Hailong Wang, Fuxi Gan and Aizhen Li 811
Growth and properties of new wide-gap quantum well structures: $Zn_{1-x}Mn_xSe/Zn_{1-y}Cd_ySe$
N. Samarth, H. Luo, J. Buschert, J.K. Furdyna, W.J. Walecki, A.V. Nurmikko, R.G. Alonso, E.-S. Oh, A.K. Ramdas and N. Otsuka 816
Characterization of CdSe/ZnTe heterojunctions
M.C. Phillips, E.T. Yu, Y. Rajakarunanayake, J.O. McCaldin, D.A. Collins and T.C. McGill 820
Fabrication of ZnS/$(ZnSe)_n$/ZnS single quantum well structures and photoluminescence properties
T. Yao, M. Fujimoto, S.H. Chang and H. Tanino 823
Blue (ZnSe) and green ($ZnSe_{0.9}Te_{0.1}$) light emitting diodes
J. Ren, K.A. Bowers, B. Sneed, F.E. Reed, J.W. Cook, Jr. and J.F. Schetzina 829

SECTION XV. GROUP IV MBE: Si AND Ge

Limited thickness epitaxy of semiconductors and Si MBE down to room temperature
D.J. Eaglesham, H.-J. Gossmann, M. Cerullo, L.N. Pfeiffer and K.W. West 833
Buried, ordered structures: boron in Si(111) and Si(100)
R.L. Headrick, B.E. Weir, A.F.J. Levi, D.J. Eaglesham and L.C. Feldman 838
Redistribution of delta-doped Sb in Si
S.J. Fukatsu, S. Kubo, Y. Shiraki and R. Ito 843
Dopant incorporation in epitaxial germanium grown on Ge(100) substrates by MBE
V.P. Kesan, S.S. Iyer and J.M. Cotte 847

B doping effect on gas source Si-MBE growth: a comparison of B_2H_6 gas doping and HBO_2 Knudsen cell doping
H. Hirayama, M. Hiroi, K. Koyama and T. Tatsumi 856
Limitations of selective epitaxial growth conditions in gas-source MBE using Si_2H_6
H. Aketagawa, T. Tatsumi and J. Sakai 860
Simulation with animation: microscopic growth kinetics of Si(001) homoepitaxy
M.R. Wilby, M.W. Ricketts, S. Clarke and D.D. Vvedensky 864
Molecular dynamics and quasidynamics simulations of low-energy ion/surface interactions leading to decreased epitaxial temperatures and increased dopant incorporation probabilities during Si MBE
M. Kitabatake, P. Fons and J.E. Greene 870
Scanning tunneling microscopy studies of the growth process of Ge on Si(001)
Y.-M. Mo and M.G. Lagally 876

SECTION XVI. GROUP IV MBE: SiGe, SnGe AND SILICIDES

Group IV element (Si, Ge and α-Sn) superlattices – low temperature MBE
K. Eberl, W. Wegscheider and G. Abstreiter 882
Silicon heteroepitaxy: interface structure and physical properties
H. von Känel, E. Müller, H.-U. Nissen, W. Bacsa, M. Ospelt, K.A. Mäder, R. Stalder and A. Baldereschi 889
MBE Si_mGe_n strained monolayer superlattices
M.A. Kallel, V. Arbet-Engels, K.L. Wang and R.P.G. Karunasiri 897
Structure dependence of photoluminescence in Ge_n/Si_m strained-layer superlattices
K. Miki, H. Okumura, K. Sakamoto, H. Matsuhata, T. Sakamoto and S. Yoshida 902
Elemental boron and antimony doping of MBE Si and SiGe structures grown at temperatures below 600°C
A.R. Powell, R.A.A. Kubiak, S.M. Newstead, C. Parry, N.L. Mattey, D.W. Smith, J.C. Brighten, C.J. Emeleus, T. Naylor, E. Basaran, T.E. Whall, M.G. Dowsett, R.D. Barlow, E.H.C. Parker and D.K. Bowen 907
High hole mobility in strained Ge channel of modulation-doped p-$Si_{0.5}Ge_{0.5}/Ge/Si_{1-x}Ge_x$ heterostructure
M. Miyao, E. Murakami, H. Etoh, K. Nakagawa and A. Nishida 912
Transport properties of p-Si/SiGe single-modulation-doped heterostructures grown by MBE
D.J. Gravesteijn, T. Mishima, C.W. Fredriksz, G.F.A. van de Walle and R.A. van den Heuvel 916
Dislocation-related photoluminescence in $Si_{1-x}Ge_x$/Si(100) grown by molecular beam epitaxy
K. Terashima, M. Tajima, A. Sakai and T. Tatsumi 920
The determination of strain in Si–Ge superlattices by electron diffraction in a scanning transmission electron microscope
W.T. Pike, L.M. Brown, R.A.A. Kubiak, S.M. Newstead, A.R. Powell, E.H.C. Parker and T.E. Whall 925
Strain modification by ion-assisted molecular beam epitaxy in the Si_xGe_{1-x} alloy system: a kinetic analysis
C.J. Tsai, P. Rozenak, H.A. Atwater and T. Vreeland 931
Si/SiGe heterostructures grown on SOI substrates by MBE for integrated optoelectronics
V.P. Kesan, P.G. May, F.K. LeGoues and S.S. Iyer 936
The growth and electronic properties of α-Sn thin films grown on InSb(100) and $(\bar{1}\bar{1}\bar{1})$ substrates by molecular beam epitaxy (MBE)
W.T. Yuen, W.K. Liu, R.A. Stradling and B.A. Joyce 943
Control of misoriented grains and pinholes in $CoSi_2$ grown on Si(001)
L.J. Schowalter, J.R. Jimenez, L.M. Hsiung, K. Rajan, S. Hashimoto, R.D. Thompson and S.S. Iyer 948
Characterization and application of fine-patterned Si/$CoSi_2$/Si double heterostructures fabricated by self-aligned, two-step MBE
M. Miyao, K. Nakagawa, N. Nakamura and T. Ohshima 957
$\sqrt{3} \times \sqrt{3}$-B structure on a 5×5 Ge_xSi_{1-x}/Si(111) surface and its electrical conduction
T. Tatsumi, I. Hirosawa, T. Niino, H. Hirayama and J. Mizuki 961

SECTION XVII. SUPERCONDUCTORS, METALS, MAGNETIC SUPERCONDUCTORS AND OTHERS

Growth and properties of high T_c films in $Y_1Ba_2Cu_3O_{7-x}$ perovskite by molecular beam epitaxy
J. Kwo 965
Growth of superconducting $Bi_2Sr_2Ca_{n-1}Cu_nO_x$ thin films by atomically layered epitaxy
J.N. Eckstein, I. Bozovic, D.G. Schlom and J.S. Harris, Jr. 973
MBE growth of ferromagnetic metastable epitaxial MnAl thin films on AlAs/GaAs heterostructures
J.P. Harbison, T. Sands, R. Ramesh, L.T. Florez, B.J. Wilkens and V.G. Keramidas 978
MBE growth and properties of Fe_3(Al,Si) on GaAs(100)
M. Hong, H.S. Chen, J. Kwo, A.R. Kortan, J.P. Mannaerts, B.E. Weir and L.C. Feldman 984

Overgrowth and strain in MBE-grown GaAs/ErAs/GaAs structures
J.D. Ralston, J. Wagner, F. Fuchs, P. Hiesinger and J. Schmälzlin 989
RHEED studies of epitaxial growth of CoGa on GaAs by MBE – determination of epitaxial phases and orientations
T.C. Kuo, T.W. Kang and K.L. Wang 996
Molecular beam epitaxial growth of Cr/Fe, Ag/Fe, Ag/Cr and Ag/Co superlattices on MgO (001) substrates
P. Etienne, J. Massies, S. Lequien, R. Cabanel and F. Petroff 1003
p-Type diluted magnetic III–V semiconductors
H. Munekata, H. Ohno, R.R. Ruf, R.J. Gambino and L.L. Chang 1011
Growth and novel properties of magnetic heterostructures by molecular beam epitaxy
J.M. Hong, D.D. Awschalom, F. Agulló-Rueda and L.L. Chang 1016
Evaluation of a new plasma source for molecular beam epitaxial growth of InN and GaN films
W.E. Hoke, P.J. Lemonias and D.G. Weir 1024
Heteroepitaxial growth by Van der Waals interaction in one-, two- and three-dimensional materials
A. Koma, K. Ueno and K. Saiki 1029
Growth of $MoSe_2$ thin films with Van der Waals epitaxy
F.S. Ohuchi, T. Shimada, B.A. Parkinson, K. Ueno and A. Koma 1033
Reconstruction structure at Ge_2Se_3/GaAs epitaxial interface
D. Li, Y. Nakamura, N. Otsuka, J. Qiu, M. Kobayashi and R.L. Gunshor 1038

SECTION XVIII. DEVICES

MBE as a production technology for AlGaAs lasers
H. Tanaka and M. Mushiage 1043
Substrate temperature dependence of SQW alloy and superlattice lasers grown by MBE using As_2
C.T. Foxon, P. Blood, E.D. Fletcher, D. Hilton, P.J. Hulyer and M. Vening 1047
Vertical cavity top-surface emitting lasers with thin Ag mirrors and hybrid reflectors
M. Hong, L.W. Tu, J. Gamelin, Y.H. Wang, R.J. Fischer, E.F. Schubert, K. Tai, G. Hasnain, J.P. Mannaerts, B.E. Weir, J.D. Wynn, R.F. Kopf, G.J. Zydzik and A.Y. Cho 1052
Reduced current thresholds in GaAs/AlGaAs vertical cavity surface emitting lasers using 4° off-oriented (001) GaAs substrates
Y.H. Wang, K. Tai, Y.F. Hsieh, S.N.G. Chu, J.O. Wynn, M. Hong, R.J. Fischer and A.Y. Cho 1057
GaInAs/InP MQW and DBR growth for surface emitting lasers by CBE
T.K. Uchida, T. Uchida, K. Mise, N. Yokouchi, F. Koyama and K. Iga 1062
MBE grown, visible, surface emitting harmonic generation lasers
R.L. Williams, F. Chatenoud and R. Normandin 1066
A simple way to reduce series resistance in p-doped semiconductor distributed Bragg reflectors
M. Hong, J.P. Mannaerts, J.M. Hong, R.J. Fischer, K. Tai, J. Kwo, J.M. Vandenberg, Y.H. Wang and J. Gamelin 1071
MBE growth of InP/InGaAs MQW modulators
E.G. Scott and M.A.Z. Rejman-Greene 1076
Quantum-confined Stark effect in InGaAs/InP multiple quantum wells grown by solid source molecular beam epitaxy
P.A. Claxton, M. Hopkinson, J. Kovac, G. Hill, M.A. Pate and J.P.R. David 1080
Critical issues in the MBE growth of $Ga_{0.47}In_{0.53}As$ for waveguide/PIN/JFET integration
H. Künzel, R. Kaiser, W. Passenberg, D. Trommer and G. Unterbörsch 1084
Investigation of a double barrier resonant tunnelling structure which incorporates an optical window layer in the top contact
N. Henini, C.R.H. White, P.E. Simmonds, L. Eaves, M.S. Skolnick, D.K. Maude, O.H. Hughes and J.C. Portal 1089
Transport in $Al_xGa_{1-x}As/In_yGa_{1-y}As$ resonant tunneling diodes with asymmetric layers
H. Yoo, S.M. Goodnick and J.R. Arthur 1095
MBE growth and post-growth annealing of GaAs-based resonant tunneling structures, viewed in relation to interface roughness
H. Riechert, D. Bernklau, J.-P. Reithmaier and R.D. Schnell 1100
MBE growth of GaAs/AlAs double-barrier structures on GaAs channeled substrates
S. Shimomura, N. Okamoto, M. Takeuchi, E. Tamaoka, Y. Yuba, S. Namba, S. Hiyamizu, M. Shigeta, T. Yamamoto and K. Kobayashi 1105
Highly strained pseudomorphic $In_xGa_{1-x}As$/AlAs based resonant tunneling diodes grown on patterned and non-patterned GaAs(100) substrates
R.M. Kapre, A. Madhukar and S. Guha 1110

Comprehensive analysis of epitaxial $Al/Al_xGa_{1-x}As$ Schottky barriers made by MBE: barrier heights and band edge discontinuities
M. Missous, E.H. Rhoderick, K.E. Singer and W.S. Truscott 1116

Author index 1121
Subject index 1136